

SP V 12FC30C RO-DV
SP V 12FV30C RO-V

Product Features

- oil free
- maintenance free
- reduced vibrations
- reduced pulsation
- low noise
- small size
- lightweight
- minimal current consumption

Applications

- Blood Pressure Monitoring
- Coffee Machines




Schwarzer
Precision

Am Lichtbogen 7 • 45141 Essen • Germany
Phone: +49 201 31697-0 • Fax: +49 201 31697-29
e-mail: info@schwarzer.com • <http://www.schwarzer.com>



Designation	SP V 12FV30C RO-V	SP V 12FC30C RO-DV
Voltage	12 Vdc	12 Vdc
Art.-No.	7k73084	7k73092
Pneumatic Performance		
Free Flow [l/min]	3,7	4,0
flow at:		
100 mbar [l/min]	-	3,2
max. Pressure [mbar]	-	800
flow at:		
-130 mbar [l/min]	2,7	-
max. Vacuum [mbar]	-640	-
Motor / Power Consumption		
Motor Type		Iron Core
Power consumption [mA]	310 @ -130 mbar	250
Isolation Class		B
Temperature Class		F (155° C)
Material		
Pump Body	ABS / POM	ABS / POM
Diaphragm	EPDM	EPDM
Valves	NBR	NBR
Weight [g]	89	89


Performance Curves



Am Lichtbogen 7 • 45141 Essen • Germany
 Phone: +49 201 31697-0 • Fax: +49 201 31697-29
 e-mail: info@schwarzer.com • http://www.schwarzer.com



SP V 12FV30C RO-V / SP V 12FC30C RO-DV



Schwarzer
Precision

Am Lichtbogen 7 • 45141 Essen • Germany
Phone: +49 201 31697-0 • Fax: +49 201 31697-29
e-mail: info@schwarzer.com • http://www.schwarzer.com